



MOTOR GRUBU





H1C - SH11C

H1C - SH11C SERİSİ PİSTONLU MOTORLAR


Tip (Pompa)	Mil Tipi	Deplasman (cc/dev.)	Hız (d/dak.)	Basınç (Bar)	Tork (Nm/Bar)	Max. Debi (lt/dak)	Fiyat (Euro €)	
							Arka Kapak Çıkışlı	Ön Kapak Çıkışlı
H1C 06	Frezeli	6,06	6000	350-450	0,096	48,50		
H1C 12	Frezeli	10,90	5590	350-450	0,170	61,00		
H1C 20	Frezeli	19,60	5590	350-450	0,310	109,00		
H1C 30	Frezeli	30,00	4500	350-450	0,480	135,00		
H1C 40	Frezeli	40,10	4950	350-450	0,640	198,00		
SH11C 55	Frezeli	56,35	5000	430	0,9	282,00		
SH11C 75	Frezeli	77,82	4500	430	1,2	350,00		
SH11C 90	Frezeli	86,23	4500	430	1,4	388,00		
SH11C 108	Frezeli	108,40	4000	430	1,7	433,00		
SH11C 125	Frezeli	124,80	4000	430	2,0	500,00		



H1CR - SH11CR

H1CR - SH11CR SERİSİ PİSTONLU MOTORLAR

Tip (Motor)	Mil Tipi	Deplasman (cc/dev.)	Hız (d/dak.)	Basınç (Bar)	Tork (Nm/Bar)	Max. Debi (lt/dak)	Fiyat (Euro €)	
							Arka Kapak Çıkışlı	Ön Kapak Çıkışlı
H1CR30	Frezeli	30,00	4500	350-450	0,480	135		
H1CR45	Frezeli	44,30	4200	350-450	0,700	186		
SH11CR55	Frezeli	56,35	5000	430-480	0,900	282		
SH11CR63	Frezeli	63,26	5000	430-480	1,000	316		
SH11CR75	Frezeli	77,82	4500	430-480	1,200	350		
SH11CR90	Frezeli	86,23	4500	430-480	1,400	388		
SH11CR108	Frezeli	108,40	4000	430-480	1,700	433		
SH11CR125	Frezeli	124,80	4000	430-480	2,000	500		
SH11CR160	Frezeli	163,90	3600	430-480	2,600	590		
SH11CR180	Frezeli	178,10	3600	430-480	2,800	641		



H2V

H2V SERİSİ PİSTONLU MOTORLAR

Tip (Motor)	Regülasyon Tipi	Deplasman (cc/dev.)	Hız (d/dak.)	Basınç (Bar)	Tork (Nm/Bar)	Max. Debi (lt/dak)	Fiyat (Euro €)
H2V 55 PI	Hidrolik Oransal Kontrol	15,8-54,8	3900	350-450	0,87	214	
H2V 75 PI	Hidrolik Oransal Kontrol	21,7-75,3	3500	350-450	1,20	263	
H2V108PI	Hidrolik Oransal Kontrol	31-107,5	3200	350-450	1,71	344	
H2V160PI	Hidrolik Oransal Kontrol	46,4-160,8	2800	350-450	2,56	450	
H2V 226 PI	Hidrolik Oransal Kontrol	64,9-225,1	2500	350-450	3,58	563	
H2V 55 EM	Elektrikli Oransal Kontrol	15,8-54,8	3900	350-450	0,87	214	
H2V 75 EM	Elektrikli Oransal Kontrol	21,7-75,3	3500	350-450	1,20	263	
H2V 108EM	Elektrikli Oransal Kontrol	31-107,5	3200	350-450	1,71	344	
H2V160EM	Elektrikli Oransal Kontrol	46,4-160,8	2800	350-450	2,56	450	
H2V 226 EM	Elektrikli Oransal Kontrol	64,9-225,1	2500	350-450	3,58	563	
H2V 55 2EM+PE	Elektrikli Oransal+Basınç Kontrol	15,8-54,8	3900	350-450	0,87	214	
H2V 75 2EM+PE	Elektrikli Oransal+Basınç Kontrol	21,7-75,3	3500	350-450	1,20	263	
H2V108 2EM+PE	Elektrikli Oransal+Basınç Kontrol	31-107,5	3200	350-450	1,71	344	
H2V160 2EM+PE	Elektrikli Oransal+Basınç Kontrol	46,4-160,8	2800	350-450	2,56	450	
H2V 226 2EM+PE	Elektrikli Oransal+Basınç Kontrol	64,9-225,1	2500	350-450	3,58	563	



SH7V

SH7V SERİSİ PİSTONLU MOTORLAR

Tip (Motor)	Regülasyon Tipi	Deplasman (cc/dev.)	Hız (d/dak.)	Basınç (Bar)	Tork (Nm/Bar)	Max. Debi (lt/dak)	Fiyat (Euro €)
SH7V 108 RPE	Basınç Kontrol	22-112,5	6300-3400	430-480	1,79	382	
SH7V 160 RPE	Basınç Kontrol	32,2-160,8	3100-5500	430-480	2,56	500	
SH7V 108 2EN	Elk. İki Pozisyon Kontrol	22-112,5	6300-3400	430-480	1,79	382	
SH7V 160 2EN	Elk. İki Pozisyon Kontrol	32,2-160,8	3100-5500	430-480	2,56	500	
SH7V 108 REN	Elektrik Oransal Kontrol	22-112,5	6300-3400	430-480	1,79	382	
SH7V 160 REN	Elektrik Oransal Kontrol	32,2-160,8	3100-5500	430-480	2,56	500	
SH7V 108 RIN	Hidrolik Oransal Kontrol	22-112,5	6300-3400	430-480	1,79	382	
SH7V 160 RIN	Hidrolik Oransal Kontrol	32,2-160,8	3100-5500	430-480	2,56	500	



BGM

BGM SERİSİ ORBİT MOTORLAR							
Tip	Deplasman (cm ³ /devir)	Mil Çapı (mm)	Debi (lt/dk)	Basınç (Bar)	Max. Tork (daNm)	Max. Devir (rpm)	Fiyat (Euro €)
BGM 13 SP1 CL160	12,90	16	20	140	1,6	1550	
BGM 20 SP1 CL160	20,00	16	20	140	2,5	1000	
BGM 32 SP1 CL160	31,80	16	20	140	3,9	625	
BGM 40 SP1 CL160	40,10	16	20	140	5	495	
BGM 50 SP1 CL160	50,00	16	20	140	4,9	400	



BGE

BGE SERİSİ ORBİT MOTORLAR								
Tip	Deplasman (cm ³ /devir)	Mil Çapı (mm)	Debi (lt/dk)	Basınç (Bar)	Max. Tork (daNm)	Max. Devir (rpm)	Fiyat (Euro €)	HPS'li Fiyat (Euro €)
BGE 50 N C25	49	25	60	165	9,3	1220		
BGE 80 N C25	73	25	60	165	14	820		
BGE 100 N C25	101	25	60	165	19	590		
BGE 130 N C25	128	25	60	165	24	465		
BGE 160 N C25	168	25	60	165	30	355		
BGE 200 N C25	195	25	60	165	30	305		
BGE 250 N C25	244	25	60	165	30	245		
BGE 315 N C25	292	25	60	165	30	205		
BGE 400 N C25	390	25	60	165	30	150		



BRO

BRO SERİSİ ORBİT MOTORLAR								
Tip	Deplasman (cm ³ /devir)	Mil Çapı (mm)	Debi (lt/dk)	Basınç (Bar)	Max. Tork (daNm)	Max. Devir (rpm)	Fiyat (Euro €)	HPS'li Fiyat (Euro €)
BRO 50 N C25	51,6	25	40	175	10,3	775		
BRO 65 N C25	64,9	25	50	175	14	770		
BRO 80 N C25	80,4	25	50	175	19,7	746		
BRO 100 N C25	100	25	60	175	23,7	600		
BRO 130 N C25	125,7	25	60	175	30	477		
BRO 160 N C25	160	25	60	175	29,6	375		
BRO 200 N C25	200	25	60	175	29,7	300		
BRO 250 N C25	250	25	60	175	29,7	240		
BRO 315 N C25	314,5	25	60	175	30	191		
BRO 400 N C25	393	25	60	175	29,2	153		



BRE

BRE SERİSİ ORBİT MOTORLAR								
Tip	Deplasman (cm ³ /devir)	Mil Çapı (mm)	Debi (lt/dk)	Basınç (Bar)	Max. Tork (daNm)	Max. Devir (rpm)	Fiyat (Euro €)	HPS'li Fiyat (Euro €)
BRE 50 N C25	51,6	25	40	175	10,3	775		
BRE 80 N C25	80,4	25	50	175	19,7	746		
BRE 100 N C25	100	25	60	175	23,7	600		
BRE 130 N C25	125,7	25	60	175	30	477		
BRE 160 N C25	160	25	60	175	29,6	375		
BRE 200 N C25	200	25	60	175	29,7	300		
BRE 250 N C25	250	25	60	175	29,7	240		
BRE 315 N C25	314,5	25	60	175	30	191		
BRE 400 N C25	393	25	60	175	29,2	153		



ARF

ARF NEGATİF FRENLİ MOTORLAR

Tip	Deplasman (cm ³ /devir)	Mil Çapı (mm)	Debi (lt/dk)	Basınç (Bar)	Max. Tork (daNm)	Max. Devir (rpm)	Fiyat (Euro €)
ARF 50 N C25	49,5	25	40	160	10	805	
ARF 80 N C25	82	25	60	160	17	730	
ARF 100 N C25	101,8	25	60	160	20	858	
ARF 130 N C25	134,2	25	60	150	24	445	
ARF 160 N C25	161,4	25	60	150	29	370	
ARF 200 N C25	201,7	25	65	125	29,5	320	
ARF 250 N C25	251,5	25	65	110	33,5	255	
ARF 315 N C25	316,4	25	65	80	31	205	
ARF 400 N C25	402,8	25	65	65	31,5	160	



HRS

HRS SERİSİ ORBİT MOTORLAR

Tip	Deplasman (cm ³ /devir)	Mil Çapı (mm)	Debi (lt/dk)	Basınç (Bar)	Max. Tork (daNm)	Max. Devir (rpm)	Fiyat (Euro €)
HRS 80 CL320	80	32	75	210	24	932	
HRS 100 CL320	100	32	75	210	30	750	
HRS 130 CL320	126	32	75	210	38	597	
HRS 160 CL320	160	32	75	210	47	469	
HRS 200 CL320	200	32	75	210	58	375	
HRS 250 CL320	250	32	75	210	71	300	
HRS 315 CL320	315	32	75	210	89	239	
HRS 400 CL320	393	32	75	210	86	190	



HRC

HRC SERİSİ ORBİT MOTORLAR

Tip	Deplasman (cm ³ /devir)	Mil Çapı (mm)	Debi (lt/dk)	Basınç (Bar)	Max. Tork (daNm)	Max. Devir (rpm)	Fiyat (Euro €)
HRC 80 CL320	80	32	75	210	24	932	
HRC 100 CL320	100	32	75	210	30	750	
HRC 130 CL320	126	32	75	210	38	597	
HRC 160 CL320	160	32	75	210	47	469	
HRC 200 CL320	200	32	75	210	58	375	
HRC 250 CL320	250	32	75	210	71	300	
HRC 315 CL320	315	32	75	210	89	239	
HRC 400 CL320	393	32	75	210	86	190	



HRL

HRL SERİSİ ORBİT MOTORLAR

Tip (konik)	Deplasman (cm ³ /devir)	Mil Çapı (mm)	Debi (lt/dk)	Basınç (Bar)	Max. Tork (daNm)	Max. Devir (rpm)	Fiyat (Euro €)
HRL 80 CN320	80	32	75	210	24	932	
HRL 100 CN320	100	32	75	210	30	750	
HRL 130 CN320	126	32	75	210	38	597	
HRL 160 CN320	160	32	75	210	47	469	
HRL 200 CN320	200	32	75	210	58	375	
HRL 250 CN320	250	32	75	210	71	300	
HRL 315 CN320	315	32	75	210	89	239	
HRL 400 CN320	393	32	75	210	86	190	



HT S


HT S SERİSİ ORBİT MOTORLAR

Tip (konalı)	Deplasman (cm ³ /devir)	Mil Çapı (mm)	Debi (lt/dk)	Basınç (Bar)	Max. Tork (daNm)	Max. Devir (rpm)	Fiyat (Euro €)
HT S 160 CL400	161	40	100	210	47	625	
HT S 200 CL400	201	40	125	210	59	625	
HT S 250 CL400	252	40	125	210	73	500	
HT S 315 CL400	326	40	125	210	95	380	
HT S 400 CL400	411	40	125	210	108	305	
HT S 500 CL400	524	40	125	210	122	240	



HT C

HT C SERİSİ ORBİT MOTORLAR							
Tip	Deplasman (cm ³ /devir)	Mil Çapı (mm)	Debi (lt/dk)	Basınç (Bar)	Max. Tork (daNm)	Max. Devir (rpm)	Fiyat (Euro €)
HT C 160 DB002	161	frezeli	100	200	47	625	
HT C 200 DB002	201	frezeli	125	200	59	625	
HT C 250 DB002	252	frezeli	125	200	73	500	
HT C 315 DB002	326	frezeli	125	200	95	380	
HT C 400 DB002	411	frezeli	125	180	108	305	
HT C 500 DB002	524	frezeli	125	160	122	240	



H2VR

H2VR SERİSİ PİSTONLU MOTORLAR							
Tip (Motor)	Regülasyon Tipi	Deplasman (cc/dev.)	Hız (d/dak.)	Basınç (Bar)	Tork (Nm/Bar)	Max. Debi (lt/dak)	Fiyat (Euro €)
H2VR 55 2EM	Elektrik Kontrol	15,8-54,8	3900	350-450	0,87	214	
H2VR 75 PE	Basınç Kontrol	21,7-75,3	3500	350-450	1,20	263,50	



CTM 1016

CTM 1016 SERİSİ YÜRÜYÜŞ MOTORLARI (FRENSİZ-FRENLİ)							
Tip	Motor Tipi	Tahvil Oranı	Deplasman (cm ³ /devir)	Basınç (Bar)	Max. Tork (daNm)	Max. Devir (rpm)	Fiyat (Euro €)
CTM 1016 (frensiz)-HPS	BRZV 80	1:6,09	80	200	118	84	
CTM 1016 (frensiz)-HPS	BRZV 100	1:6,09	100	200	125	77	
CTM 1016 (frensiz)-HPS	BRZV 130	1:6,09	130	200	130	61	
CTM 1016 (frensiz)-HPS	BRZV 160	1:6,09	160	200	130	48	
CTM 1016 (frenli)-HPS	BRZV 80	1:6,09	80	80	200	118	
CTM 1016 (frenli)-HPS	BRZV 100	1:6,09	100	100	200	125	
CTM 1016 (frenli)-HPS	BRZV 130	1:6,09	130	130	200	130	
CTM 1016 (frenli)-HPS	BRZV 160	1:6,09	160	160	200	130	



CTM 1022

CTM 1022 SERİSİ YÜRÜYÜŞ MOTORLARI (FRENSİZ)							
Tip	Motor Tipi	Tahvil Oranı	Deplasman (cm ³ /devir)	Basınç (Bar)	Max. Tork (daNm)	Max. Devir (rpm)	Fiyat (Euro €)
CTM 1022 (frensiz)	HR-M 80	1:6,09	80	210	140	160	
CTM 1022 (frensiz)	HR-M 100	1:6,09	100	210	176	150	
CTM 1022 (frensiz)	HR-M 130	1:6,09	130	210	215	119	
CTM 1022 (frensiz)	HR-M 160	1:6,09	160	160	220	94	
CTM 1022 (frensiz)	HR-M 200	1:6,09	160	120	220	75	
CTM 1022 (frenli)	HR-M 80	1:6,09	80	210	140	160	
CTM 1022 (frenli)	HR-M 100	1:6,09	100	210	176	150	
CTM 1022 (frenli)	HR-M 130	1:6,09	130	210	215	119	
CTM 1022 (frenli)	HR-M 160	1:6,09	160	160	220	94	
CTM 1022 (frenli)	HR-M 200	1:6,09	160	120	220	75	



WP 200 SERİSİ

WP SERİSİ ORBİT HİDROMOTORLAR

Kod	Tip	Mil Çapı (mm)	Deplasman (cc)	Max. Hız (dev/dak)	Debi (lt/dk)	Basınç (Bar)		Tork (Nm)	Fiyat (EURO)
						Sürekli	Pik		
50	200	25	50	1208-1500	60-75	140	240	91	
80	200	25	78	896-960	60-75	160	240	164	
100	200	25	96	728-780	60-75	160	240	195	
125	200	25	125	559-599	60-75	160	240	258	
160	200	25	154	452-483	60-75	160	240	321	
200	200	25	190	367-385	60-75	150	240	380	
250	200	25	240	291-312	60-75	140	240	445	
315	200	25	303	228-245	60-75	120	200	460	
400	200	25	388	155-189	60-75	95	180	488	



WR 200 SERİSİ

WR SERİSİ ORBİT HİDROMOTORLAR

Kod	Tip	Mil Çapı (mm)	Deplasman (cc)	Max. Hız (dev/dak)	Debi (lt/dk)	Basınç (Bar)		Tork (Nm)	Fiyat (Euro)
						Sürekli	Pik		
40	200	25	40	1116-1515	45-61	155	224	93	
60	200	25	59	890-1142	53-68	155	224	138	
70	200	25	71	865-1078	61-76	172	241	176	
90	200	25	88	691-864	61-76	172	241	222	
100	200	25	100	610-760	61-76	172	241	246	
115	200	25	113	539-672	61-76	172	241	284	
130	200	25	129	472-588	61-76	172	241	316	
160	200	25	160	379-469	61-76	172	241	400	
200	200	25	198	308-384	61-76	172	241	462	
240	200	25	236	249-315	61-76	172	224	548	
320	200	25	322	188-235	61-76	121	190	518	
400	200	25	400	152-190	61-76	104	155	551	



RE 500 SERİSİ

RE SERİSİ ORBİT HİDROMOTORLAR

Kod	Tip	Mil Çapı (mm)	Deplasman (cc)	Max. Hız (dev/dak)	Debi (lt/dk)	Basınç (Bar)		Tork (Nm)	Fiyat (Euro)
						Sürekli	Pik		
120	500	32	121	360-490	45-61	207	241	327	
160	500	32	162	370-470	61-76	207	241	475	
200	500	32	204	300-370	68-83	207	241	644	
230	500	32	232	260-320	68-83	207	241	712	
260	500	32	261	260-350	76-91	207	241	825	
300	500	32	300	250-320	83-95	207	241	921	
375	500	32	375	200-250	76-91	207	241	1006	
375-F	500	32	375	200-250	76-91	207	241	1006	
540	500	32	536	140-170	76-91	138	172	983	



DT 700 SERİSİ

DT SERİSİ ORBİT HİDROMOTORLAR

Kod	Tip	Mil Çapı (mm)	Deplasman (cm³/dak)	Max. Hız (dev/dak)	Debi (lt/dk)	Basınç (Bar)		Tork (Nm)	Fiyat (Euro)
						Sürekli	Pik		
300	700	50	300	320-380	95-114	207	254	819	
375	700	50	375	250-300	95-114	207	241	1045	
470	700	50	465	200-240	95-114	172	241	1071	
540	700	50	536	180-210	95-114	172	241	1277	
750	700	50	748	130-150	95-114	172	241	1780	
930	700	50	929	100-120	95-114	138	207	1780	
1K1	700	50	1048	90-110	95-114	138	207	1915	
1K5	700	50	1496	60-70	95-114	103	138	2090	
2K1	700	50	2094	40-50	95-114	103	138	2661	



H3 GÖVDELİ RADYAL PİSTONLU MOTOR

H3 GÖVDELİ RADYAL PİSTONLU MOTORLAR

Tip (motor)	Mil Tipi	Deplasman (cc/dev.)	Hız (d/dak)	Basınç (Bar)	Tork (nm/bar)	Max. Debi (lt/dak)	Fiyat (Euro €)
IAM 400 H3 A0 D40	FREZELİ	397	600	250	6,3	8	
IAM 500 H3 A0 D40	FREZELİ	491	600	250	7,8	8	
IAM 600 H3 A0 D40	FREZELİ	594	550	250	9,4	10	
IAM 700 H3 A0 D40	FREZELİ	707	450	250	11,2	10	
IAM 800 H3 A0 D40	FREZELİ	791	400	250	12,6	10	



H4 GÖVDELİ RADYAL PİSTONLU MOTOR

H4 GÖVDELİ RADYAL PİSTONLU MOTORLAR

Tip (motor)	Mil Tipi	Deplasman (cc/dev.)	Hız (d/dak)	Basınç (Bar)	Tork (nm/bar)	Max. Debi (lt/dak)	Fiyat (Euro €)
IAM 700 H4 A0 D40	FREZELİ	714	500	250	11,40	10	
IAM 800 H4 A0 D40	FREZELİ	792	450	250	12,60	10	
IAM 900 H4 A0 D40	FREZELİ	904	450	250	14,40	10	
IAM 1000 H4 A0 D40	FREZELİ	992	330	250	15,80	10	
IAM 1200 H4 A0 D40	FREZELİ	1192	300	250	19,00	10	
IAM 1400 H4 A0 D40	FREZELİ	1332	230	250	21,20	10	



H5 GÖVDELİ RADYAL PİSTONLU MOTOR

H5 GÖVDELİ RADYAL PİSTONLU MOTORLAR

Tip (motor)	Mil Tipi	Deplasman (cc/dev.)	Hız (d/dak)	Basınç (Bar)	Tork (nm/bar)	Max. Debi (lt/dak)	Fiyat (Euro €)
IAM 1200 H5 A0 D40	FREZELİ	1231	300	250	19,60	10	
IAM 1400 H5 A0 D40	FREZELİ	1376	300	250	21,90	10	
IAM 1500 H5 A0 D40	FREZELİ	1528	300	250	24,30	10	
IAM 1600 H5 A0 D40	FREZELİ	1648	300	250	26,20	10	
IAM 1800 H5 A0 D40	FREZELİ	1815	250	250	28,90	10	
IAM 2000 H5 A0 D40	FREZELİ	2035	230	250	32,40	10	
IAM 2200 H5 A0 D40	FREZELİ	2220	220	250	35,30	10	



BMP SERİSİ



BMR SERİSİ



BMH SERİSİ



BMS SERİSİ



BHRS SERİSİ



JMDG SERİSİ

BMP SERİSİ ORBİT HİDROMOTORLAR

Tip	Deplasman (cm ³ /dev)	Basınç (Bar)	Debi (lt/dak.)	Tork (Nm)	Fiyat (Usd \$)
BMP-50	52,9	140	40	89	
BMP-80	79,3	140	60	150	
BMP-100	98,2	140	60	191	
BMP-125	120,9	140	60	235	
BMP-160	158,7	140	60	307	
BMP-200	196,4	140	60	365	
BMP-250	241,8	110	60	378	
BMP-315	317,3	90	60	378	
BMP-400	392,9	70	60	378	

BMR SERİSİ ORBİT HİDROMOTORLAR

Tip	Deplasman (cm ³ /dev)	Basınç (Bar)	Debi (lt/dak.)	Tork (Nm)	Fiyat (Usd \$)
BMR-50	51,7	140	40	93	
BMR-80	80,5	140	60	152	
BMR-100	100,5	140	60	194	
BMR-125	126,3	140	60	237	
BMR-160	160,8	140	60	310	
BMR-200	200,9	140	60	369	
BMR-250	252,6	110	60	380	
BMR-315	321,5	90	60	380	
BMR-400	401,9	70	60	380	

BMH SERİSİ ORBİT HİDROMOTORLAR

Tip	Şaft Tipi	Deplasman (cm ³ /dev)	Basınç (Bar)	Debi (lt/dak.)	Tork (Nm)	Fiyat (Usd \$)
BMH-200	32 mm Düz	200,9	160	75	438	
BMH-250	32 mm Düz	252,6	125	75	440	
BMH-315	32 mm Düz	321,5	125	75	551	
BMH-400	32 mm Düz	401,9	100	75	560	
BMH-500	32 mm Düz	489,2	80	60	45,9	

BMS SERİSİ ORBİT HİDROMOTORLAR

Tip	Şaft Tipi	Deplasman (cm ³ /dev)	Basınç (Bar)	Debi (lt/dak.)	Tork (Nm)	Fiyat (Usd \$)
BMS-160	32 mm Düz	159,7	175	75	340	
BMS-200	32 mm Düz	200	140	75	400	
BMS-250	32 mm Düz	250	125	75	450	
BMS-315	32 mm Düz	314,9	120	75	540	
BMS-400	32 mm Düz	397	100	75	580	
BMS-475	32 mm Düz	474,6	85	75	580	

DİREKSİYON BEYNİ

Kod	Deplasman (cm ³ /dev)	Diş Ölçüsü	Basınç (Bar)	Konum	Fiyat (Usd \$)
BHRS2 - 100 - B12 - Y3	100	1/2"	175	Açık Merkez	
BHRS2 - 125 - B12 - Y3	125	1/2"	175	Açık Merkez	
BHRS2 - 160 - B12 - Y3	160	1/2"	175	Açık Merkez	
BHRS2 - 200 - B12 - Y3	200	1/2"	175	Açık Merkez	

RADYAL MOTORLAR

Kod	Deplasman (cm ³ /dev)	Tork (Nm/bar)	Çalışma Basıncı (Bar)	Güç (kw)	Devir (d/dak)	Fiyat (Usd \$)
JMDG 6 - 400A	397	58	160	60	320	
JMDG 6 - 500A	491	72	160	63	320	
JMDG 6 - 600A	594	87	160	65	320	
JMDG 6 - 700A	683	100	160	65	320	
YJ10X/G50-K2Y/T1 Hidrolik Motor						



BM-4 SERİSİ

BM-4 ORBİT MOTORLAR							
MODEL (BM-4)	MİL ÇAPI (mm)	DEPLASMAN (cc/dev.)	HIZ (dev./dak.)	BASINÇ. (Bar)	DEBİ (lt/dk)	TORK (nm)	FİYATI (USD)
OMT-160	40	158,8	569	160	100	45,1	
OMT-200	40	201,4	475	160	100	47,1	
OMT-250	40	251,8	381	160	100	58,2	
OMT-315	40	326,3	294	160	100	75,8	
OMT-400	40	410,9	228	150	100	89,6	
OMT-500	40	523,6	183	140	100	106,3	
OMT-630	40	629,1	150	120	100	115,6	
OMT-800	40	801,8	121	105	100	120,7	




BM-5 SERİSİ

BM-5 ORBİT MOTORLAR							
MODEL (BM-5)	MİL ÇAPI (mm)	DEPLASMAN (cc/dev.)	HIZ (dev./dak.)	BASINÇ. (Bar)	DEBİ (lt/dk)	TORK (nm)	FİYATI (USD)
OMV-315	50	33	335	160	110	73	
OMV-400	50	419	270	160	110	102	
OMV-500	50	518	215	160	110	121	
OMV-630	50	666	170	160	110	142,2	
OMV-800	50	801	140	140	110	159	



OMH SERİSİ


OMH ORBİT MOTORLAR							
MODEL	MİL ÇAPI (mm)	DEPLASMAN (cc/dev.)	HIZ (dev./dak.)	BASINÇ. (Bar)	DEBİ (lt/dk)	TORK (nm)	FİYATI (USD)
OMH-200	32	203,2	263	125	60	29,8	
OMH-250	32	255,9	209	125	60	37,5	
OMH-315	32	316,1	169	125	60	45,4	
OMH-400	32	406,4	131	100	60	47,7	
OMH-500	32	489,2	109	80	60	45,9	
OMH-200	35	203,2	263	125	60	29,8	
OMH-250	35	255,9	209	125	60	37,5	
OMH-315	35	316,1	169	125	60	45,4	
OMH-400	35	406,4	131	100	60	47,7	
OMH-500	35	489,2	109	80	60	45,9	




ML 32
60004-4



ML 52/B-1
70001-4



ML 52/B-23
70004-4



ML 52/B-8
70005-4



ML 52/B-6
70007-4



ML 52/B-8
70007-4/24



RD52
96001

ML SERİSİ DEVİR YÜKSELTİCİLER

Tip	Grup	Tahvil(n2/n1) (i)	n1 (dev/dak)	n2 (dev/dak)	T1 (daNm)	T2 (daNm)	Fiyat (Euro €)
ML 32-3-1/3	GR2	1/3	540	1680	18	5,8	
ML 52/B-23-1/3	GR3	1/3	540	1620	48,3	16,1	
ML 52/B-6-1/3	GR3	1/3	540	1620	48,3	16,1	
ML 52/B-8-1/3	GR3	1/3	540	1620	48,3	16,1	
ML 52/B-3-1/3 Dişi	GR3	1/3	540	1620	48,3	16,1	
ML 52/B-1-1/3 ERKEK	GR3	1/3	540	1620	48,3	16,1	


ML32-3-1/3 FREZESİ

ML52 FREZESİ


ML52/B-23-1/3 FLANŞI

RD SERİSİ DEVİR DÜŞÜRÜCÜ (Dişi ŞAFTLI)


Tip	Grup	Tahvil(n2/n1) (i)	n1 (dev/dak)	n2 (dev/dak)	T1 (daNm)	T2 (daNm)	Fiyat (Euro €)
RD 33	GR 2	1/0,33	200	600	20,1	6,7	
RD 52-4	GR 3	1/0,33	200	600	56,7	18,9	




ML 32
60004-4



ML 52
70001-4



ML 52/B
70005-4 / 5 / 24



RD52
96001

ML SERİSİ DEVİR YÜKSELTİCİLER

Tip	Tahvil (n2/n1-l)	n1 (dev/dak)	n2 (dev/dak)	T1 (daNm)	T2 (daNm)	Fiyat (Dolar)
60004-4 GR 2 Dişi KİLİTLİ	1/3	540	1680	18	5,5	
70004-4 GR 3 Dişi KİLİTLİ	1/3	540	1620	49	16	
70007-4/24 ERKEK MİL TRAKTÖR FREZELİ	1/3	540	1620	49	16	
70005-4 ERKEK MİL TRAKTÖR/DİŞİ MİL TRAKTÖR	1/3	540	1620	49	16	
70007-4 ERKEK MİL TRAKTÖR (İKİ TARAFI DA)	1/3	540	1620	49	16	
70001-4 GR 3 ERKEK MİL	1/3	540	1620	49	16	

DEVİR DÜŞÜRÜCÜLER

Tip	Tahvil (n2/n1-l)	n1 (dev/dak)	n2 (dev/dak)	T1 (daNm)	T2 (daNm)	Fiyat (Dolar)
96001 RD52	3/1	200	600	56,7	18,9	